



+2° C / +25° C



Full Temperature Control

Cooling, freezing and heating, while driving and when stationary



Quickly Serviceable

With our interchangeable cooling unit, you'll be back on the road in 5 minutes



Standard and fully customized

For the entire cargo space of the vehicle, half or exactly the size you need



Easily Transferable

Can easily be transferred from vehicles on a day-to-day or at the end of the vehicles life.



Why VebaBox?



Transforms any Electric-Vehicle into a refrigerated vehicle.

- Operates at ambient temperatures between -20°C and $+40^{\circ}\text{C}$
- Continues to freeze/cool when engine is off
- Freeze, refrigerate and ambient possible in separate compartments
- Low maintenance
- Also suitable for (light) electric vehicles (LEV)

Model 400 Cool
Starting from:

€ 4.571



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model 400
Box Volume	375 Liters
External Dimensions (wxhxd)	520 x 1020 x 1262 mm
Inside Dimensions (wxhxd)	414 x 914 x 983 / 866 mm*
Nett Weight	70 kg
Ambient Temperature	-20°C and +50°C
Power source, max. current @12V	50 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	3.6 A @ 230V

**Dimensions until thermal unit*

Mo. 400 Best suitable for:

- All commercial vehicles
(Also for larger models)

Model A Cool
Starting from:

€ 6.335

Model B Cool
Starting from:

€ 4.945



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model A	Model B
Box Volume	1215 Liters	520 Liters
External Dimensions (wxhxd)	1115 x 950 x 1700 mm	950 x 900 x 1051 mm
Inside Dimensions (wxhxd)	1009 x 844 x 1424 / 1290 mm*	844 x 794 x 775 / 641 mm*
Nett Weight	110 kg	75 kg
Ambient Temperature	-20°C and +50°C	-20°C and +50°C
Power source, max. current @12V	50 A @ 12V	50 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	3.6 A @ 230V	3.6 A @ 230V

**Dimensions until thermal unit*

Mo. A Best suitable for:

- VW Caddy Maxi >2020
- Ford Transit Connect L2
- Fiat Doblo L2
- Citroën Berlingo L2
- Peugeot Partner L2
- Opel Combo L2

Mo. B Best suitable for:

- All commercial vehicles
(Also for larger models)

Model C Cool
Starting from:

€ 5.319

Model D Cool
Starting from:

€ 5.809



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model C	Model D
Box Volume	820 Liters	970 Liters
External Dimensions (wxhxd)	1000 x 1000 x 1301 mm	1115 x 950 x 1410 mm
Inside Dimensions (wxhxd)	894 x 894 x 1025 / 891 mm*	1009 x 844 x 1134 / 1000 mm*
Nett Weight	90 kg	100 kg
Ambient Temperature	-20°C and +50°C	-20°C and +50°C
Power source, max. current @12V	50 A @ 12V	50 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	3.6 A @ 230V	3.6 A @ 230V

**Dimensions until thermal unit*

- Mo. C Best suitable for:
- VW Caddy Maxi >2020
 - Ford Transit Connect L1
 - Fiat Doblo L1
 - Nissan Townstar
 - Opel Combo L1
 - Renault Kangoo Rapid
 - Mercedes-Benz Citan
 - Citroën Berlingo L1
 - Peugeot Partner L1


- Mo. D Best suitable for:
- VW Caddy >2020
 - Ford Transit Connect L1
 - Fiat Doblo L1
 - Nissan Townstar
 - Opel Combo L1
 - Renault Kangoo Rapid
 - Mercedes-Benz Citan
 - Citroën Berlingo L1
 - Paugeot Partner L1

Model E Cool
Starting from:

€ 5.809

Model F Cool
Starting from:

€ 6.993



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model E	Model F
Box Volume	1000 Liters	1860 Liters
External Dimensions (wxhxd)	1009 x 1180 x 1360 mm	1200 x 1150 x 1902 mm
Inside Dimensions (wxhxd)	743 / 614* x 1074 x 1244 mm	1094 x 1044 x 1626 / 1492 mm*
Nett Weight	135 kg	124 kg
Ambient Temperature	-20°C and +50°C	-20°C and +50°C
Power source, max. current @12V	50 A @ 12V	50 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	3.6 A @ 230V	3.6 A @ 230V

*Dimensions until thermal unit

Mo. E Best suitable for:

- VW Transporter L1
- Mercedes Vito L1
- Fiat Scudo L1
- Ford Transit Custom L1
- Opel Vivaro M
- Nissan NV300 L1
- Peugeot Expert M
- Renault Trafic L1
- Citroën Jumpy M
- Toyota Proace L1

Mo. F Best suitable for:

- VW Transporter L1
- Ford Transit Custom L1
- Fiat Scudo M
- Nissan Primastar
- Opel Vivaro M
- Peugeot Expert M
- Citroën Jumpy M
- Renault Trafic
- Toyota ProAce

Model G Cool
Starting from:

€ 8.395

Model I Cool
Starting from:

€ 10.250



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model G	Model I
Box Volume	2054 Liters	2650 Liters
External Dimensions (wxhxd)	1250 x 1170 x 2081 mm	1250 x 1170 x 2450 mm
Inside Dimensions (wxhxd)	1094 x 1064 x 1765 / 1631 mm*	1094 x 1064 / 798* x 2294 mm
Nett Weight	124 kg	166 kg
Ambient Temperature	-20°C and +50°C	-20°C and +40°C
Power source, max. current @12V	50 A @ 12V	80 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	3.6 A @ 230V	7.8 A @ 230V

*Dimensions until thermal unit

Mo. G Best suitable for:

- VW Transporter L1
- Ford Transit Custom L1
- Fiat Scudo M
- Nissan Primastar
- Opel Vivaro M
- Peugeot Expert M

• Citroën Jumpy M

- Renault Trafic
- Toyota ProAce

Mo. I Best suitable for:

- Opel Vivaro L3
- Peugeot Expert L3
- Fiat Scudo L3
- VW Transporter L2
- Mercedes-Benz Vito L3

Model J Cool
Starting from:

€ 10.750

Model O Cool
Starting from:

€ 6.995



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model J	Model O
Box Volume	2950 Liters	1600 Liters
External Dimensions (wxhxd)	1300 x 1250 x 2550 mm	1150 x 1500 x 1460 mm
Inside Dimensions (wxhxd)	1144 x1144 / 878* x 2394 mm	1044 x 1394 x 1144 / 1010 mm*
Nett Weight	164 kg	112 kg
Ambient Temperature	-20°C and +40°C	-20°C and +50°C
Power source, max. current @12V	80 A @ 12V	50 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	7.8 A @ 230V	3.6 A @ 230V

**Dimensions until thermal unit*

Mo. J Best suitable for:

- Trafic L2/ Primaster L2
- Custom L2
- New model VW Transporter L2

Mo. O Best suitable for:

- VW Crafter H3
- Ford Transit
- Fiat Ducato H2
- Nissan Interstar
- Opel Movano H2
- Mercedes Sprinter H1
- Renault Master H2
- Citroën Jumper H2
- Peugeot Boxer H2

Model P Cool
Starting from:

€ 7.195

Model Q Cool
Starting from:

€ 11.550



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model P	Model Q
Box Volume	1900 Liters	4100 Liters
External Dimensions (wxhxd)	1150 x 1700 x 1460 mm	1380 x 1700 x 2350 mm
Inside Dimensions (wxhxd)	1044 x 1594 x 1144 / 1013 mm*	1224 x 1594 / 1328* x 2194 mm
Nett Weight	130 kg	200 kg
Ambient Temperature	-20°C and +50°C	-20°C and +40°C
Power source, max. current @12V	50 A @ 12V	80 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	3.6 A @ 230V	7.8 A @ 230V

**Dimensions until thermal unit*

Mo. P Best suitable for:

- VW Crafter H3
- Ford Transit H3
- Fiatr Ducato H2
- Nissan Interstar H2
- Opel Movano H2

- Mercedes Sprinter H2
- Renault Master H2
- Citroën Jumper H2
- Peugeot Boxer H2

Mo. Q Best suitable for:

- Ford Transit L2H3
- Fiat Ducato L1H2
- Nissan Interstar L1H2
- Opel Movano L1H2
- Mercedes Sprinter L1H2

- Renault Master L1H2
- Citroën L1H2
- Peugeot Boxer L1H2

Model R Cool
Starting from:

€ 11.665

Model S Cool
Starting from:

€ 11.995



Includes:

- Temperature Setting Range +2°C to +25°C
- Thermal Unit
- Installation Set
- 12V power cable
- 110/230V Shore Power
- Automatic cooling / heating
- Wall Thickness 50 mm

	Model R	Model S
Box Volume	4900 Liters	5650 Liters
External Dimensions (wxhxd)	1380 x 1700 x 2750 mm	1380 x 1700 x 3150 mm
Inside Dimensions (wxhxd)	1224 x 1594 / 1328* x 2594 mm	1224 x 1594 / 1328* x 2994 mm
Nett Weight	220 kg	235 kg
Ambient Temperature	-20°C and +40°C	-20°C and +40°C
Power source, max. current @12V	80 A @ 12V	80 A @ 12V
Power Source max. current @110~230V AC (50/60Hz)	7.8 A @ 230V	7.8 A @ 230V

**Dimensions until thermal unit*

Mo. R Best suitable for:

- Ford Transit L2H2
- Fiat Ducato L2H2
- Nissan Interstar L2/H2
- Opel Movano L2H2
- Renault Master L2H2

- Citroën Master L2H2
- Peugeot Boxer L2H2

Mo. S Best suitable for:

- VW Crafter L3H2
- Ford Transit L3H2
- Fiat Ducato L2/H2
- Nissan Interstar L3/H2
- Opel Movano L2H2

- Mercedes Sprinter L2H2
- Renault L3H2
- Citroën Jumper L3H2
- Peugeot Boxer L3H2

Power Pack


Power Pack

VebaBox is plug & play: on the basis of volume a suitable cooling unit will be selected which will continuously cool or heat your products. Both in a vehicle on 12V or as 'stand alone' with a Power Pack or 110V / 230V shore power in for example a warehouse. The external Power Pack can supply the VebaBox with power, so that it doesn't have to be connected to a vehicle or 110V / 230V power supply. Our Power Packs are also suitable for electric vehicles.



Plastic or steel pallet

- To be able to move the crate very easily with a forklift truck



Cooling Unit protection inside

- To protect the Cooling Unit on the inside of the VebaBox.



Cooling Unit protection outside

- To protect the Cooling Unit on the outside of the VebaBox.



Remote Control

- Remote control for operating the VebaBox from the vehicle cab, for example.

